










Speaker Terminals, Connectors & more

Index	Description	Sold as	Weight / g	Picture
012-0180	Binding Posts M6/27 Gold Pair Black and Red Max cabinet wall thickness: 27 mm. Use 6,5 mm drill	Pair	54	
012-0190	Binding Posts M6/27 Satin Nickel Pair Black and Red Max cabinet wall thickness: 27 mm. Use 6,5 mm drill	Pair	54	
012-0210	Binding Posts M9/26 Gold Pair Black and Red Max cabinet wall thickness: 26 mm. Use 9 mm drill + second 11,5 mm drill	Pair	96	




Speaker Terminals, Connectors & more

Index	Description	Sold as	Weight / g	Picture
012-0220	Binding Posts M9/26 Satin Nickel Pair Black and Red Max cabinet wall thickness: 27 mm. Use 9 mm drill + second 11,5 mm drill	Pair	96	
012-0200	Binding Posts M8 520D Gold Pair Black and Red Max cabinet wall thickness: 27 mm. Use 8,2 mm drill + second 10 mm drill	Pair	70	
012-0170	Binding Posts M5 Gold Pair Black and Red Max cabinet back-wall thickness: 38 mm.	Pair	47	



Speaker Terminals, Connectors & more

Index	Description	Sold as	Weight / g	Picture
012-0160	Binding Posts M4 - gold plated Pair Black and Red Max cabinet back-wall thickness: 8 mm.	Pair	24	
012-0209	Binding Post M9 / sat.nickel. Pair Red/White Max. panel thicknes 25 mm.	Pair	97	
012-0175	Terminal, silver coated, for banana plug 4mm. Pair Black and Red Max. panel thicknes 3 mm To be soldered with cable	Pair	7	




Speaker Terminals, Connectors & more

Index	Description	Sold as	Weight / g	Picture
012-0150	Banana plug for BFA 4mm - gold plated For cables of max. 6 mm ² Fix with 2 imbus screws	1 pc	6	
012-0120	Banana plug 4mm gold plated For cables of max. dia 3.8 mm, 6 mm ² For soldering	1 pc	4	
012-0140	Pair of banana plug 4mm - gold plated For cables of max. 6 mm ² For fixing with screws only	Pair	30	




Speaker Terminals, Connectors & more

Index	Description	Sold as	Weight / g	Picture
012-0130	Pair of banana plug BFA 4mm - gold plated For cables of max. 6 mm ² Fix with 2 imbus screws / soldering	Pair	32	
012-0290	Fork-spade max.M8 Gold plated brass For cables of max. 6 mm ² Fix with 2 imbus screws / soldering	1 pc	10	




Speaker Terminals, Connectors & more

Index	Description	Sold as	Weight / g	Picture
012-0050	Terminal plate with binding posts M8 520D Gold Black anodised - 100x100x3mm	1 pc	150	
012-0070	Terminal plate with binding posts M9/26 Satin Nickel Black anodised - 100x100x3mm	1 pc	175	
012-0060	Terminal plate with binding posts M9/26 Gold Black anodised - 100x100x3mm	1 pc	175	




Speaker Terminals, Connectors & more

Index	Description	Sold as	Weight / g	Picture
012-0350	<p>Speaker terminal 817 with gasket 2 x gold plated connectors Outside dimensions: 124x96 mm Required hole in the column: 90x67 mm Mounting holes spacing: 102/74.</p>	1 pc	220	
012-0330	<p>Speaker terminal 803C (bi wiring) with gasket 4 x gold plated connectors Outside dimensions: 123x96 mm Required hole in the column: 96x75 mm Mounting holes spacing: 106/79.</p>	1 pc	124	
012-0340	<p>Terminal house 806T (bi-wiring) With gasket + slide 4 x gold plated connectors Outside dimensions: 122x95 mm Required hole in the column: 96x75 mm Mounting holes spacing: 108/81</p>	1 pc	128	




Speaker Terminals, Connectors & more

Index	Description	Sold as	Weight / g	Picture
012-0080	Terminal plate M9-4G 4 x gold plated connectors Outside dimensions: 140x100x3 mm Included: A terminal bridge gold plated (012-0240)	1 pc	275	
012-0090	Terminal plate M9-4N 4 x satin nickel plated connectors Outside dimensions: 140x100x3 mm Included: A terminal bridge nickel satin plated (012-0250)	1 pc	275	
012-0310	Square Speaker Terminal 716-2 2 x gold plated binding post with plas.nut Required hole in the column: 55x75 Connectors spacing: 25	1 pc	65	



Speaker Terminals, Connectors & more

Index	Description	Sold as	Weight / g	Picture
012-0320	<p>Square Speaker Terminal 717-C</p> <p>2 x gold plated binding post with met.nut</p> <p>Required hole in the column: 50x68</p> <p>Connectors spacing: 20</p>	1 pc	65	
012-0065	<p>Terminal plate M9/25-2G/N</p> <p>2 x gold/nickel plated connectors</p> <p>Outside dimensions: 100x100x3 mm</p>	1 pc	180	
012-0085	<p>Terminal plate M9/25-4G/N</p> <p>4 x gold/nickel plated connectors</p> <p>Outside dimensions: 140x100x3 mm</p>	1 pc	310	

Speaker Terminals, Connectors & more

Index	Description	Sold as	Weight / g	Picture
012-0370	Soldering tag for MDF 28 gold plated pads Length: 267 mm; Height: 20 mm Mounting method: on the wooden surface; M4 screws.	1 pc	29	
012-0359	Gold Plated Terminal Block KF45C 2 pole max.20Amp. 300V	1 pc	7	
012-0360	Soldering tag for PCB 8 gold plated screws Max 10 A Mounting method: soldering to PCB	1 pc	29	

Speaker Terminals, Connectors & more

Index	Description	Sold as	Weight / g	Picture
012-0230	Terminal bridge for M8 connectors Gold plated Thickness: 0,75 mm Width: 8 mm Holes spacing: 48 mm	1 pc	3	
012-0280	Male connector Gold plated For 4,8/0,5 mm female connector Mounting method: soldering to PCB Mounting: PCB - screwing down to M4 or soldering	1 pc	10	
012-0260	Power Plug 250 V - 16 A Gold plated lead wires	1 pc	83	